

號碼(No.): CE/2014/32704 日期(Date): 2014/03/19 頁數(Page): 1 of 10

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

以下測試樣品係由申請廠商所提供 behalf of the applicant as):	及	確認 (The following sample(s) was/were submitted and identified by/on
送樣廠商(Sample Submitted By)	:	旺宏電子股份有限公司(MACRONIX INTERNATIONAL CO., LTD.)
樣品名稱(Sample Description)	:	電子產品 (IC) (MX AND KH)
樣品型號(Style/Item No.)	:	8SOP (150mil)
收件日期(Sample Receiving Date)	:	2014/03/12
測試期間(Testing Period)	:	2014/03/12 TO 2014/03/19
	===:	

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :





號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 2 of 10

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

### <u>測試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 黑色本體 (BLACK BODY) 测試部位(PART NAME)No.2 : 銀色金屬接腳底材 (BASE MATERIAL OF SILVER COLORED METAL PIN)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	
				No.1	No.2
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦 合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應耦 合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	29
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應耦 合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	n.d.
六價貉 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321: 2008方法,以UV-VIS檢 測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	
	**	參考IEC 62321: 2008方法,以沸水萃取 法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#		Negative
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	參考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	



# 測試報告 Test Report<sup>姚</sup>

號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 3 of 10

• 旺宏電子股份有限公司

MACRONIX INTERNATIONAL CO., LTD.

新竹科學工業園區研新四路8號

NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	
				No.1	No.2
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	%	參考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
鄰苯二甲酸二正辛酯 / DNOP (Di-n- octyl phthalate) (CAS No.: 117- 84-0)	%	參考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	參考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84- 69-5)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
鄰苯二甲酸二己酯 / DNHP (Di-n- hexyl phthalate) (CAS No.: 84-75- 3)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
鹵素 / Halogen					
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	
鹵素 (氣) / Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582:2007,以離子層析儀 分析. / With reference to BS EN	50	n.d.	
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	50	n.d.	
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



# 測試報告 Test Report<sup>號碼(No.)</sup>: C

號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 4 of 10

### rest Kepor

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	
				No.1	No.2
多溴聯苯總和 / Sum of PBBs		參考IEC 62321: 2008方法,以氣相層析 /質譜儀檢測. / With reference to	-	n.d.	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.	n.d.
六溴聯苯 / Hexabromobiphenyl	-		5	n.d.	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	IEC 62321: 2008 and performed by	-	n.d.	n.d.
一溴聯苯醚 / Monobromodiphenyl ether		GC/MS.	5	n.d.	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.



號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 5 of 10

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. "---" = Not Conducted (未測項目)
- 6. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 7. # = a. Positive means the presence of CrVI on the tested areas
  - (Positive表示測試區域偵測到六價路)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價路)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm<sup>2</sup> tested areas. / 該溶液濃度≥0.02 mg/kg with 50 cm<sup>2</sup> (tested areas)




### 測試報告 <sup>號碼(No.)</sup>: CE/2014/32704 日期(Date): 2014/03/19 頁數(Page): 6 of 10 **Test Report**

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD.

新竹科學工業園區研新四路8號

NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)
- 2) 测試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸腾萃取. / For metallic material, add pure water and heat to boiling.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an




### 測試報告 <sup>號碼(No.)</sup>: CE/2014/32704 日期(Date): 2014/03/19 頁數(Page): 7 of 10 **Test Report**

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 8 of 10

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 9 of 10

旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang 初次測試程序 / First testing process -≁ 選擇性篩檢程序 / Optional screen process •••••• 確認程序 / Confirmation process - · - · ▶






號碼(No.) : CE/2014/32704 日期(Date) : 2014/03/19 頁數(Page) : 10 of 10


旺宏電子股份有限公司 MACRONIX INTERNATIONAL CO., LTD. 新竹科學工業園區研新四路8號 NO. 8, CREATION ROAD IV, SCIENCE PARK, HSIN-CHU, TAIWAN, R.O.C.

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

# CE/2014/32704 NO.1



CE/2014/32704 NO.2



\*\* 報告結尾 (End of Report) \*\*